

BRAND GUIDELINES

RELEASE - JANUARY 2023

INSTRUCTIONS

Thank you for taking the time to thoroughly review this brand guide.

The details and instructions outlined in this document are to be strictly adhered to. Any initiatives, both online and off-line, that do not conform to these brand guidelines, must be approved by both Stephen Vajda in Marketing and Brian McCafferty in Risk Management.

Stephen Vajda

stephen.vajda@morgancorp.com

Direct: 610-781-0946

Brian McCafferty

brian.mccafferty@morgancorp.com

Direct: 610-286-2223

APPROVED LOGO

This is the approved Morgan Truck Body logo. You can click on one of the download links below the logo to download the format you need, or click the All Formats button do download all formatted files.



DOWNLOAD LINKS

LOGO PADDING

Maintain an area of padding equal to half the height of the logo on all four sides that is free of other elements. This helps our logo appear clean and uncluttered. If the Morgan logo is to be used in conjunction with the brand slogan, Bodies That Move Business™, refer to the Logo/ Slogan Pairing section on page 3 of this document for proper usage.



LOGO/SLOGAN PAIRING

The approved brand slogan for Morgan Truck Body is: Bodies That Move Business™. The brand slogan can be used as a stand-alone statement, or it can be paired with the Morgan logo in the following format.



Bodies That Move Business™

DOWNLOAD LINKS

ALTERNATE LOGOS

Below are the alternative black, white, and greyscale Morgan Truck Body logos. Only use these logos when necessary. The primary color logo is preferred and should be used whenever possible.





Black

White





Black and White


Grayscale

DOWNLOAD LINKS

PROHIBITED LOGO USES

No modifications should be made to the approved Morgan Truck Body logo.







Do not distort the logo vertically or horizontally.



Do not change the proportion or reposition any of the logo elements.



Do not rotate the logo.



Do not skew the logo.



Do not subtract any elements from the logo.



Do not add any elements to the logo.




Do not change the typeface of the logo wordmark.

BRAND COLORS

The approved brand colors for Morgan Truck Body are listed below. The Pantone colors should be used whenever possible. For all other uses, choose the appropriate CMYK, RGB, or HEX color.

PRIMARY



PANTONE 2746 C

C M Y K 100 96 10 4 R G B 10 31 143 HEX #0A1F8F

BASE




WHITE

C M Y K
0 0 0 0

R G B
255 255 255

HEX
#FFFFFF

ACCENT & CTA



PANTONE 187 C

C M Y K
22 100 91 14

R G B
173 23 43

HEX
#AD172B

SUB BRAND LOGOS

These are the approved sub brand logos for Morgan Truck Body. The Morgan sub brand logos are not to be altered in any way and are subject to the same prohibited logo uses found on page 4 of this document.







VIDEO CONFERENCING BACKGROUNDS

These are the approved video conferencing backgrounds for Morgan Truck Body. Use these backgrounds whenever you are engaging in a video conference while representing Morgan Truck Body in any capacity.









TYPOGRAPHY

Space After:

0.0625 in

Space After:

0.0625 in

For instances where larger font sizes are required (trade show graphics, posters, banners, etc.), the font sizes must scale in proportion to the specifications listed below.

HEADLINES		SUB-HEADLINES		Body Copy		ONLINE CONVERSION CHART			
Font Family:	Proxima Nova Light	Font Family: Style:	Proxima Nova Semibold	Font Family:	Proxima Nova Regular	Default considered as a 96dpi viewport with croot {font-size:16px}			
Size:	24 pt – 36 pt	Size:	14 pt – 18 pt	Size:	8 pt – 12 pt				D
Leading:	29 pt – 41 pt	Leading:	17 pt – 21 pt	Leading:	12 pt – 16 pt	Point	Pixel	Em/Rem	Percent
· ·	0.1875 in	Space Before:	0.125 in	· ·	0 in	9pt	12px	0.75em	75%
Space Before:		•		Space Before:		10.5pt	14px	0.875em	87.50%
Space After:	0.0625 in	Space After:	0.0625 in	Space After:	0.125 in	12pt	16px	1em	100%
						13.5pt	18px	1.125em	112.50%
						15pt	20px	1.25em	125%
						16.5pt	22px	1.375em	137.50%
						18pt	24px	1.5em	150%
						19.5pt	26px	1.625em	162.50%
TYPOGRAPHY Alternatives						21pt	28px	1.75em	175%
						22.5pt	30px	1.875em	187.50%
LIEADLINEC					24pt	32px	2em	200%	
HEADLINES		SUB-HEADLINES		Body Copy		25.5pt	34рх	2.125em	212.50%
- · - · ·	D : N O I I		D : N O I I	- · - · ·		27pt	36px	2.25em	225%
Font Family:	Proxima Nova Condensed	Font Family:	Proxima Nova Condensed	Font Family:	Proxima Nova Condensed	28.5pt	38px	2.375em	237.50%
Style:	Light	Style:	Semibold	Style:	Regular	30pt	40px	2.5em	250%
Size:	24 pt – 36 pt	Size:	14 pt – 18 pt	Size:	8 pt – 12 pt	31.5pt	42px	2.625em	262.50%
Leading:	29 pt – 41 pt	Leading:	17 pt – 21 pt	Leading:	12 pt – 16 pt	33pt	44px	2.75em	275%
Space Before:	0.1875 in	Space Before:	0.125 in	Space Before:	0 in	34.5pt	46px	2.875em	287.50%
									4

Space After:

0.125 in

36pt

48px

3em

300%

PRODUCT NOMENCLATURE

Use of Morgan's product names must strictly adhere to the spelling, case formatting, and composition shown below whenever it is used in sentences and/or headlines. The only exception is if a headline uses uppercase formatting.

DRY FREIGHT

PLATFORM/DUMP

Gold Star

ProStake

Proscape-Van

MHP

Furniture Mover

LandscaperPro

Curtainsider

Dump Body

CityMax

SPECIALTY/PRODUCTS

Mini-Mover

MSU

REFRIGERATED

Cold Star



Bodies That Move Business™

Products as shown may include optional equipment that is not part of the standard Morgan truck body configuration. Some product images may differ from current configurations and may not be available as depicted at the time of your order.

NOTE: All dimensions, weights, and measurements specified herein are subject to Morgan's manufacturing tolerances, may change without notice, and may vary depending on options selected. Please Contact Morgan Representative for available options, complete up-to-date specifications and for measurements for your particular truck body and chassis specifications. © Morgan Truck Body, January 2023